

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	((("4304512") or ("5971247") or ("6229050") or ("20020162876") or ("0010043") or ("0010043") or ("3404555") or ("5541864") or ("5566188") or ("5710490") or ("6341244") or ("6774598"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:34
L2	2	1 and (clamp or clamp\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:04
L4	15036	((228/2.1,2.3,47.1,48,49.1-49.6,112.1,212) or (269/50,55,58,90,91,290,294,295,287,288,289MR,329) or (409/62,73,80,163,189,197,205,209,225,232-234,257,276-279,900.2,903)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:38
L6	8	1 and (clamp or clamp\$4 or hold or hold\$4 or grip or grip\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:39
L7	1	1 and (lubricate or lubricat\$4 or teflon or ptfe or polytetrafluoroethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:40
L8	7761	4 and (clamp or clamp\$4 or hold or hold\$4 or grip or grip\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:39
L9	399	8 and (lubricate or lubricat\$4 or teflon or ptfe or polytetrafluoroethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:40
L10	677	8 and ((self or auto) near (lubricate or lubricat\$4) or iron or graphite or carbon or molydisulfide or metal near polymer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:41

L11	65	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:41
L12	2891	8 and (bearing or bearings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:42
L13	384	12 and ball near (bearing or bearings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:43
L14	93	13 and (gas or air or fluid) near pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:42
L15	0	14 and ((gas or air or fluid) near pressure) near (ball near bearing\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:44
L16	59	13 and roller near (bearing or bearings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:43
L17	43	16 and (pivot or pivot\$4 or tilt or tilt\$4 or angle or angl\$4 or incline or inclin\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:45
L18	5	17 and (pivot or pivot\$4 or tilt or tilt\$4 or angle or angl\$4 or incline or inclin\$6) near (roller or castor or bearing or bearings)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:44

L19	3	14 and ((gas or air or fluid) near pressure) near (ball or bearing\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:44
L20	3	8 and (pivot or pivot\$4 or tilt or tilt\$4 or angle or angl\$4 or incline or inclin\$6) near (castor or castors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:45